

```
<!doctype html>
<html xmlns="http://www.w3.org/1999/xhtml" xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:o="urn:schemas-microsoft-com:office:office">
  <head>
    <!-- NAME: Subscription confirmation -->
    <!--[if gte mso 15]>
    <xml>
      <o:OfficeDocumentSettings>
        <o:AllowPNG/>
        <o:PixelsPerInch>96</o:PixelsPerInch>
      </o:OfficeDocumentSettings>
    </xml>
    <![endif]-->
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Subscription confirmation</title>

    <style type="text/css">
      p{
        margin:10px 0;
        padding:0;
      }
      table{
        border-collapse:collapse;
      }
      h1,h2,h3,h4,h5,h6{
        display:block;
        margin:0;
        padding:0;
      }
      img,a img{
        border:0;
        height:auto;
        outline:none;
        text-decoration:none;
      }
      body,#bodyTable,#bodyCell{
        height:100%;
        margin:0;
        padding:0;
        width:100%;
      }
      .rc_preview-text{
```

```

        display:none !important;
    }
    #outlook a{
        padding:0;
    }
    img{
        -ms-interpolation-mode:bicubic;
    }
    table{
        mso-table-lspace:0pt;
        mso-table-rspace:0pt;
    }
    .ReadMsgBody{
        width:100%;
    }
    .ExternalClass{
        width:100%;
    }
    p,a,li,td,blockquote{
        mso-line-height-rule:exactly;
    }
    a[href^=tel],a[href^=sms]{
        color:inherit;
        cursor:default;
        text-decoration:none;
    }
    p,a,li,td,body,table,blockquote{
        -ms-text-size-adjust:100%;
        -webkit-text-size-adjust:100%;
    }
    .ExternalClass,.ExternalClass p,.ExternalClass td,.ExternalClass div,.ExternalClass
span,.ExternalClass font{
        line-height:100%;
    }
    a[x-apple-data-detectors]{
        color:inherit !important;
        text-decoration:none !important;
        font-size:inherit !important;
        font-family:inherit !important;
        font-weight:inherit !important;
        line-height:inherit !important;
    }
    .templateContainer{
        max-width:600px !important;

```

```
}
a.rc_button{
  display:block;
}
.rc_image,.rc_image--retina{
  vertical-align:bottom;
}
.rc_content{
  word-break:break-word;
}
.rc_content img{
  height:auto !important;
}
.rc_divider-block{
  table-layout:fixed !important;
}
.rc_content--amount,
.rc_content--amount > * {
  text-align: right;
}
h1{
  color:#000000;
  font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
  font-size:28px;
  font-style:normal;
  font-weight:bold;
  line-height:150%;
  letter-spacing:normal;
  text-align:center;
}
h2{
  color:#000000;
  font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
  font-size:24px;
  font-style:normal;
  font-weight:bold;
  line-height:150%;
  letter-spacing:normal;
  text-align:left;
}
h3{
  color:#000000;
  font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
  font-size:20px;
```

```
font-style:normal;
font-weight:bold;
line-height:150%;
letter-spacing:normal;
text-align:left;
}
h4{
color:#000000;
font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size:16px;
font-style:normal;
font-weight:bold;
line-height:125%;
letter-spacing:normal;
text-align:left;
}
#templateHeader{
background-color:#EFEFF1;
background-image:none;
background-repeat:no-repeat;
background-position:center;
background-size:cover;
border-top:0;
border-bottom:0;
padding-top:0px;
padding-bottom:0px;
}
.headerContainer{
background-color:#transparent;
background-image:none;
background-repeat:no-repeat;
background-position:center;
background-size:cover;
border-top:0;
border-bottom:0;
padding-top:0px;
padding-bottom:0;
}
.headerContainer .rc_content,.headerContainer .rc_content p{
color:#000000;
font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size:14px;
line-height:150%;
text-align:left;
```

```
}
.headerContainer .rc_content a,.headerContainer .rc_content p a{
  color:#191D48;
  font-weight:normal;
  text-decoration:none;
}
#templateBody{
  background-color:#EFEFF1;
  background-image:none;
  background-repeat:no-repeat;
  background-position:center;
  background-size:cover;
  border-top:0;
  border-bottom:0;
  padding-top:20px;
  padding-bottom:20px;
}
.bodyContainer{
  background-color:#ffffff;
  background-image:none;
  background-repeat:no-repeat;
  background-position:center;
  background-size:cover;
  border-top:0;
  border-bottom:0;
  padding-top:20px;
  padding-bottom:20px;
}
.bodyContainer .rc_content,.bodyContainer .rc_content p{
  color:#000000;
  font-family:'Roboto', 'Helvetica Neue', Helvetica, Arial, sans-serif;
  font-size:14px;
  line-height:150%;
  text-align:left;
}
.bodyContainer .rc_content a,.bodyContainer .rc_content p a{
  color:#191D48;
  font-weight:bold;
  text-decoration:none;
}
#templateFooter{
  background-color:#EFEFF1;
  background-image:none;
  background-repeat:no-repeat;
```

```

background-position:center;
background-size:cover;
border-top:0;
border-bottom:0;
padding-top:0px;
padding-bottom:0px;
}
.footerContainer{
background-color:#transparent;
background-image:none;
background-repeat:no-repeat;
background-position:center;
background-size:cover;
border-top:0;
border-bottom:0;
padding-top:0;
padding-bottom:0;
}
.footerContainer .rc_content,.footerContainer .rc_content p{
color:#000000;
font-family:Helvetica;
font-size:12px;
line-height:150%;
text-align:center;
}
.footerContainer .rc_content a,.footerContainer .rc_content p a{
color:#191D48;
font-weight:bold;
text-decoration:none;
}
.footerContainer .rc_content h4 {
color: #8E8F8E;
padding-bottom: 4px;
}
}
@media only screen and (min-width:768px){
.templateContainer{
width:600px !important;
}
}
}
@media only screen and (max-width: 480px){
body,table,td,p,a,li,blockquote{
-webkit-text-size-adjust:none !important;
}
}
body{

```

```
    width:100% !important;
    min-width:100% !important;
}
.rc_image--retina{
    max-width:100% !important;
}
.rc_image{
    width:100% !important;
}
.rc_content__container{
    max-width:100% !important;
    width:100% !important;
}
.rc_content{
    padding-right:20px !important;
    padding-left:20px !important;
}
h1{
    font-size:28px !important;
    line-height:125% !important;
}
h2{
    font-size:24px !important;
    line-height:125% !important;
}
h3{
    font-size:20px !important;
    line-height:150% !important;
}
h4{
    font-size:16px !important;
    line-height:150% !important;
}
.headerContainer .rc_content,.headerContainer .rc_content p{
    font-size:16px !important;
    line-height:150% !important;
}
.bodyContainer .rc_content,.bodyContainer .rc_content p{
    font-size:16px !important;
    line-height:150% !important;
}
.footerContainer .rc_content,.footerContainer .rc_content p{
    font-size:14px !important;
    line-height:150% !important;
```

```

    }

    }
  </style>
</head>
<body>
  <!--[if !gte mso 9]><!--><span class="rc_preview-text" style="display:none; font-size:0px;
line-height:0px; max-height:0px; max-width:0px; opacity:0; overflow:hidden; visibility:hidden;
mso-hide:all;">Subscription confirmation</span><!--<![endif]-->
  <center>
    <table align="center" border="0" cellpadding="0" cellspacing="0" height="100%"
width="100%" id="bodyTable">
      <tr>
        <td align="center" valign="top" id="bodyCell">
          <table border="0" cellpadding="0" cellspacing="0" width="100%">
            <tr>
              <td align="center" valign="top" id="templateHeader">
                <!--[if (gte mso 9)|(IE)]>
                  <table align="center" border="0" cellspacing="0" cellpadding="0"
width="600" style="width:600px;">
                    <tr>
                      <td align="center" valign="top" width="600" style="width:600px;">
                        <![endif]-->
                      <table align="center" border="0" cellpadding="0" cellspacing="0"
width="100%" class="templateContainer">
                        <tr>
                          <td valign="top" class="headerContainer"></td>
                        </tr>
                      </table>
                    <!--[if (gte mso 9)|(IE)]>
                      </td>
                    </tr>
                  </table>
                <![endif]-->
              </td>
            </tr>
            <tr>
              <td align="center" valign="top" id="templateBody">
                <!--[if (gte mso 9)|(IE)]>
                  <table align="center" border="0" cellspacing="0" cellpadding="0"
width="600" style="width:600px;">
                    <tr>
                      <td align="center" valign="top" width="600" style="width:600px;">
                        <![endif]-->

```

```

                <table align="center" border="0" cellpadding="0" cellspacing="0"
width="100%" class="templateContainer">
                <tr>
                <td valign="top" class="bodyContainer"><table border="0"
cellpadding="0" cellspacing="0" width="100%" style="min-width:100%;">
                <tbody>
                <tr>
                <td valign="top" style="padding-top:8px;">
                <!--[if mso]>
                <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
                <tr>
                <![endif]-->

                <!--[if mso]>
                <td valign="top" width="600" style="width:600px;">
                <![endif]-->
                <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
                <tbody>
                <tr>
                <td valign="top" class="rc_content" style="padding: 0px 20px 8px;color:
#000000;font-family: Roboto, &quot;Helvetica Neue&quot;, Helvetica, Arial, sans-serif;font-size:
14px;text-align: center;">
                <h1>Subscription confirmation</h1>
                </td>
                </tr>
                </tbody>
                </table>
                <!--[if mso]>
                </td>
                <![endif]-->

                <!--[if mso]>
                </tr>
                </table>
                <![endif]-->
                </td>
                </tr>
                </tbody>
                </table><table border="0" cellpadding="0" cellspacing="0" width="100%"
style="min-width:100%;">
                <tbody>
                <tr>

```

```

<td valign="top" style="padding-top:8px;">
  <!--[if mso]>
    <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
      <tr>
        <![endif]-->

        <!--[if mso]>
          <td valign="top" width="600" style="width:600px;">
            <![endif]-->
            <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
              <tbody>
                <tr>
                  <td valign="top" class="rc_content" style="padding: 0px 20px 8px;color:
#000000;font-family: Roboto, &quot;Helvetica Neue&quot;, Helvetica, Arial, sans-serif;font-size:
14px;text-align: center;">

                    <div style="text-align: center;">
                      <p style="color: #000000;font-family: Roboto, &quot;Helvetica
Neue&quot;, Helvetica, Arial, sans-serif;font-size: 14px;text-align: center;">Hi {{ name }},</p>

                      <p style="color: #000000;font-family: Roboto, &quot;Helvetica
Neue&quot;, Helvetica, Arial, sans-serif;font-size: 14px;text-align: center;">Thank you for your
purchase.<br>

                        Please review your subscription details below.<br>
                        &nbsp;</p>

                      <p style="color: #000000;font-family: Roboto, &quot;Helvetica
Neue&quot;, Helvetica, Arial, sans-serif;font-size: 14px;text-align: center;">You may manage or
cancel your subscription by clicking here:<br>
                        <a class="manage_subscription_link" href="{{ link }}" target="_blank"
rel="noopener noreferrer" title="Manage subscription">Manage subscription</a></p>
                      <p style="color: #000000;font-family: Roboto, &quot;Helvetica
Neue&quot;, Helvetica, Arial, sans-serif;font-size: 14px;text-align: center;">Please email us at
<a href="mailto:{{ shop_email }}">{{ shop_email }}</a> if you have any questions about your
subscription.</p>
                    </div>
                  </td>
                </tr>
              </tbody>
            </table>
          <!--[if mso]>
        </td>

```

```

        <![endif-->

        <!--[if mso]>
        </tr>
        </table>
        <![endif-->
    </td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">
    <tbody>
    <tr>
        <td style="min-width: 100%; padding: 8px 20px;">
            <table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:
100%;border-top: 2px solid #B6B6BD;">
                <tbody>
                <tr>
                    <td><span></span></td>
                </tr>
                </tbody>
            </table>
<!--
        <td style="padding: 20px;">
            <hr style="border-bottom-color:none; border-left-color:none; border-right-color:none;
border-bottom-width:0; border-left-width:0; border-right-width:0; margin-top:0; margin-right:0;
margin-bottom:0; margin-left:0;" />
-->
        </td>
    </tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
style="min-width:100%;">
    <tbody>
    <tr>
        <td valign="top" style="padding-top:8px;">
            <!--[if mso]>
            <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
                <tr>
                    <![endif-->

            <!--[if mso]>
            <td valign="top" width="600" style="width:600px;">

```

```

<![endif]-->
<table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%; width="100%" class="rc_content__container">
  <tbody>
    <tr>
      <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">
        <h3>Subscription details</h3>
      </td>
    </tr>
  </tbody>
</table>
<!--[if mso]>
</td>
<![endif]-->

<!--[if mso]>
</tr>
</table>
<![endif]-->
</td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">
  <tbody>
    <tr>
      <td style="min-width: 100%; padding: 8px 20px;">
        <table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:
100%;border-top: 2px solid #B6B6BD;">
          <tbody>
            <tr>
              <td><span></span></td>
            </tr>
          </tbody>
        </table>
      </td>
    </tr>
  </tbody>
</table>
<!--
  <td style="padding: 20px;">
    <hr style="border-bottom-color:none; border-left-color:none; border-right-color:none;
border-bottom-width:0; border-left-width:0; border-right-width:0; margin-top:0; margin-right:0;
margin-bottom:0; margin-left:0;" />
  -->
</td>
</tr>

```

```

</tbody>
</table>
{% for item in line_items %}

<table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:100%;">
  <tbody>
    <tr>
      <td valign="top" style="padding-top:8px;">
        <!--[if mso]>
          <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
            <tr>
              <!--[endif-->

              <!--[if mso]>
                <td valign="top" width="600" style="width:600px;">
                  <!--[endif-->
                <table align="left" border="0" cellpadding="0" cellspacing="0"
style="max-width:100%; min-width:100%;" width="100%" class="rc_content__container">
                  <tbody>
                    <tr>
                      <td valign="top" class="rc_content" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;">

                        <h4><strong>{{ item.product_title }}</strong></h4>
                        <ul>
                          {% if item.charge_interval_frequency | int > 1 %}
                            <li>Charges every {{ item.charge_interval_frequency }} {{
item.order_interval_unit | lower }}s</li>
                          {% else %}
                            <li>Charges every {{ item.order_interval_unit | lower }}</li>
                          {% endif %}
                          {% if item.future_changes %}
                            {%if item.future_changes.recurring_price %}
                              {% if item.future_changes.recurring_price | float > item.price | float
%}
                                <li>Price increase to {{ item.future_changes.recurring_price |
money_with_currency(store.id) }} on {% if item['future_changes']['order_number_to_apply'] %}{{
"%d%s"%(item['future_changes']['order_number_to_apply'],{1:"st",2:"nd",3:"rd"}).get(item['future_
changes']['order_number_to_apply'] if item['future_changes']['order_number_to_apply']<20 else
item['future_changes']['order_number_to_apply']%10,"th")) }}{% else %}1st{% endif %}
charge</li>
                              {% else %}
                                {% else %}

```

```

        <li>Price decrease to {{ item.future_changes.recurring_price |
money_with_currency(store.id) }} on {% if item["future_changes"]["order_number_to_apply"] %}{
"%d%s"%(item["future_changes"]["order_number_to_apply"],{1:"st",2:"nd",3:"rd"}).get(item["future_
changes"]["order_number_to_apply"] if item["future_changes"]["order_number_to_apply"]<20 else
item["future_changes"]["order_number_to_apply"]%10,"th")) }}{% else %}1st{% endif %}
charge</li>

        {% endif %}
    {% endif %}
{% endif %}
{% if item.next_charge_date %}
    <li>Next charge on {{ item.next_charge_date }}</li>
{% endif %}
{% if item.number_charges_until_expiration %}
    <li>Expires after {{ item.number_charges_until_expiration }}
    {% if item.number_charges_until_expiration | int == 1 %}
        Charge
    {% else %}
        Charges
    {% endif %}
</li>
{% endif %}
</ul>
</td>
<td valign="top" class="rc_content rc_content--amount"
style="padding-top:0; padding-right:20px; padding-bottom:8px; padding-left:20px;text-align:
right;">
    <span>{{ item.price | money_with_currency(store.id) }}</span>
</td>
</tr>
</tbody>
</table>
<!--[if mso]>
</td>
<![endif-->

<!--[if mso]>
</tr>
</table>
<![endif-->
</td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">

```



```

                <h4><strong>Discounts</strong></h4>
            </td>
        </tr>
        <tr>
            <td valign="top" class="rc_content" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;">

                <span>{{ discount_code }}</span>
            </td>
            <td valign="top" class="rc_content rc_content--amount"
style="padding-top:0; padding-right:20px; padding-bottom:8px; padding-left:20px;text-align:
right;">

                <span>-{{ total_discounts | money_with_currency(store.id) }}</span>
            </td>
        </tr>
    </tbody>
</table>
<!--[if mso]>
</td>
<![endif-->

<!--[if mso]>
</tr>
</table>
<![endif-->
</td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">
    <tbody>
        <tr>
            <td style="min-width: 100%; padding: 8px 20px;">
                <table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:
100%;border-top: 2px solid #B6B6BD;">
                    <tbody>
                        <tr>
                            <td><span></span></td>
                        </tr>
                    </tbody>
                </table>
            </td>
        </tr>
    </tbody>
</table>
<!--
    <td style="padding: 20px;">

```

```

        <hr style="border-bottom-color:none; border-left-color:none;
border-right-color:none; border-bottom-width:0; border-left-width:0; border-right-width:0;
margin-top:0; margin-right:0; margin-bottom:0; margin-left:0;" />
-->
        </td>
    </tr>
</tbody>
</table>
{% endif %}
<table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:100%;">
    <tbody>
        <tr>
            <td valign="top" style="padding-top:8px;">
                <!--[if mso]>
                    <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
                        <tr>
                            <![endif]-->

                            <!--[if mso]>
                                <td valign="top" width="600" style="width:600px;">
                                    <![endif]-->
                                    <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
                                        <tbody>
                                            <tr>
                                                <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">
                                                    Subtotal
                                                </td>
                                                <td valign="top" class="rc_content rc_content--amount" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;text-align: right;">
                                                    <span>{{ subtotal_price | money_with_currency(store.id)}}</span>
                                                </td>
                                            </tr>
                                            <tr>
                                                <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">
                                                    Shipping
                                                </td>
                                                <td valign="top" class="rc_content rc_content--amount" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;text-align: right;">
                                                    <span>{{ total_shipping | money_with_currency(store.id) }}</span>
                                                </td>
                                            </tr>
                                        </tbody>
                                    </table>
                                </td>
                            <!--[endif]-->
                        </tr>
                    </table>
                </td>
            </tr>
        </tbody>
    </table>

```

```

        </tr>
        <tr>
            <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">
                Taxes
            </td>
            <td valign="top" class="rc_content rc_content--amount" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;text-align: right;">
                <span>{{ total_tax | money_with_currency(store.id) }}</span>
            </td>
        </tr>
    </tbody>
</table>
<!--[if mso]>
</td>
<![endif-->

<!--[if mso]>
</tr>
</table>
<![endif-->
</td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">
    <tbody>
        <tr>
            <td style="min-width: 100%; padding: 8px 20px;">
                <table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:
100%;border-top: 2px solid #B6B6BD;">
                    <tbody>
                        <tr><td><span></span></td></tr>
                    </tbody>
                </table>
            </td>
        </tr>
    </tbody>
</table>
<!--
    <td style="padding: 20px;">
        <hr style="border-bottom-color:none; border-left-color:none; border-right-color:none;
border-bottom-width:0; border-left-width:0; border-right-width:0; margin-top:0; margin-right:0;
margin-bottom:0; margin-left:0;" />
-->
    </td>
</tr>
</tbody>

```

```

</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
style="min-width:100%;">
  <tbody>
    <tr>
      <td valign="top" style="padding-top:8px;">
        <!--[if mso]>
          <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
            <tr>
              <!--[endif]-->

              <!--[if mso]>
                <td valign="top" width="600" style="width:600px;">
                  <!--[endif]-->
                  <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
                    <tbody>
                      <tr>
                        <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">
                          <h3><strong>Total</strong></h3>
                        </td>
                        <td valign="top" class="rc_content rc_content--amount" style="padding-top:0;
padding-right:20px; padding-bottom:8px; padding-left:20px;text-align: right;">
                          <h3><strong>{{ total_price | money_with_currency(store.id)
}}</strong></h3>
                        </td>
                      </tr>
                    </tbody>
                  </table>
                <!--[if mso]>
              </td>
            <!--[endif]-->

            <!--[if mso]>
          </tr>
        </table>
      <!--[endif]-->

      <!--[if mso]>
    </tr>
  </table>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
class="rc_divider-block" style="min-width:100%;">
  <tbody>

```

```

<tr>
  <td style="min-width: 100%; padding: 8px 20px;">
    <table border="0" cellpadding="0" cellspacing="0" width="100%" style="min-width:
100%;border-top: 2px solid #B6B6BD;">
      <tbody>
        <tr><td><span></span></td></tr>
      </tbody>
    </table>
<!--
  <td style="padding: 20px;">
    <hr style="border-bottom-color:none; border-left-color:none; border-right-color:none;
border-bottom-width:0; border-left-width:0; border-right-width:0; margin-top:0; margin-right:0;
margin-bottom:0; margin-left:0;" />
-->
  </td>
</tr>
</tbody>
</table><table border="0" cellpadding="0" cellspacing="0" width="100%"
style="min-width:100%;">
  <tbody>
    <tr>
      <td valign="top" style="padding-top:8px;">
        <!--[if mso]>
          <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
            <tr>
              <![endif]-->

          <!--[if mso]>
            <td valign="top" width="600" style="width:600px;">
              <![endif]-->
            <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
              <tbody>
                <tr>
                  <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:8px; padding-left:20px;">

                    {% if shop_email %}
                    <p>Please email us <a href="mailto:{{ shop_email }}" about="_blank"
rel="noopener noreferrer">here</a> if you have any questions about your subscription.</p>
                    <p>&nbsp;</p>
                    {% endif %}

```

```

        <p><em>{{ shop_legal_text }}</em></p>

        <p>&nbsp;</p>

        {% set price_chaged_items = line_items | selectattr("future_changes") | list
    %}

        {% if price_chaged_items %}
            <p><em>
                {% for item in price_chaged_items %}
                    {% set item_price = item['price'] | float %}
                    The price of <strong>{{ item['title'] | striptags }}</strong> will change
                    from {{ (item_price/100) | money_with_currency(store.id) }} to {{
                    item['future_changes']['recurring_price'] | money_with_currency(store.id) }} on your {% if
                    item['future_changes']['order_number_to_apply'] %}{{
                    "%d%s"% (item['future_changes']['order_number_to_apply'], {1:"st",2:"nd",3:"rd"}).get(item['future_
                    changes']['order_number_to_apply']) if item['future_changes']['order_number_to_apply']<20 else
                    item['future_changes']['order_number_to_apply']%10,"th") }}{% else %}1st{% endif %} recurring
                    charge{% if not loop.last %}. {% endif %}{% endfor %}.
                </em></p>
            {% endif %}

            {% if discount_code %}
                <p><em>Your total today reflects an applied discount of {{
                total_discounts | money_with_currency(store.id) }}. After the discount charge limit is reached,
                your total will increase by the discounted amount.</em></p>
            {% endif %}
        </td>
    </tr>
</tbody>
</table>
<!--[if mso]>
</td>
<![endif-->

<!--[if mso]>
</tr>
</table>
<![endif-->
</td>
</tr>
</tbody>
</table></td>

</tr>

```

```

        </table>
        <!--[if (gte mso 9)|(IE)]>
        </td>
        </tr>
        </table>
        <![endif-->
    </td>
</tr>
<tr>
    <td align="center" valign="top" id="templateFooter">
        <!--[if (gte mso 9)|(IE)]>
        <table align="center" border="0" cellspacing="0" cellpadding="0"
width="600" style="width:600px;">
            <tr>
                <td align="center" valign="top" width="600" style="width:600px;">
                    <![endif-->
                    <table align="center" border="0" cellpadding="0" cellspacing="0"
width="100%" class="templateContainer">
                        <tr>
                            <td valign="top" class="footerContainer"><table border="0"
cellpadding="0" cellspacing="0" width="100%" style="min-width:100%;">
                                <tbody>
                                    <tr>
                                        <td valign="top" style="padding-top:8px;">
                                            <!--[if mso]>
                                            <table align="left" border="0" cellspacing="0" cellpadding="0" width="100%"
style="width:100%;">
                                                <tr>
                                                    <![endif-->

                                                    <!--[if mso]>
                                                    <td valign="top" width="600" style="width:600px;">
                                                        <![endif-->
                                                        <table align="left" border="0" cellpadding="0" cellspacing="0" style="max-width:100%;
min-width:100%;" width="100%" class="rc_content__container">
                                                            <tbody>
                                                                <tr>
                                                                    <td valign="top" class="rc_content" style="padding-top:0; padding-right:20px;
padding-bottom:20px; padding-left:20px;">
                                                                        <h4 style="text-align: center;color: #8E8F8E;padding-bottom: 4px;">{{
shop_name }}</h4>
                                                                        <h4 style="text-align: center;color: #8E8F8E;padding-bottom: 4px;">{{
shop_url }}</h4>

```

```
                <h4 style="text-align: center;color: #8E8F8E;padding-bottom: 4px;">{{
shop_address }}</h4>
            </td>
        </tr>
    </tbody>
</table>
<!--[if mso]>
</td>
<![endif-->

<!--[if mso]>
</tr>
</table>
<![endif-->
</td>
</tr>
</tbody>
</table></td>

                </tr>
            </table>
            <!--[if (gte mso 9)|(IE)]>
            </td>
            </tr>
            </table>
            <![endif-->
        </td>
    </tr>
</table>
</td>
</tr>
</table>
</center>
</body>
</html>
```